

CredibleMeds Filtered QTDrug List

Reference: Woosley, RL and Romero, KA, www.Crediblemeds.org, QTdrugs List, [insert Accession Date], AZCERT, Inc. 1822 Innovation Park Dr., Oro Valley, AZ 85755 - See more at: <https://www.crediblemeds.org/#sthash.GOQM8ThC.dpuf>



The last revision date: February 21, 2016

"The CredibleMeds drug lists are updated regularly and it is recommended that the website be consulted for the most up to date information."

The drug list below contains drugs from the categories: Drugs to Avoid in Congenital Long QT

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Albuterol (salbutamol)	Proventil®, Ventolin®, Ventolin-HFA®, Accuneb®, Combivent®, Vospire-ER®, ProAir HFA®, Duoneb®	Bronchodilator	Asthma	Avoid in congenital long QT	oral, injection
Alfuzosin	Uroxatral®	Alpha1-blocker	Benign prostatic hyperplasia	Possible Risk of TdP	oral
Amantadine	Symmetrel®, Symadine®	Antiviral	Viral infection (Influenza), Parkinson's disease	Conditional Risk of TdP	oral
Amiodarone	Cordarone®, Pacerone®, Nexterone®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral, injection
Amisulpride (Only on Non US Market)	Solian®, Supitac®, Soltus®, Amitrex®, Amazeo®	Antipsychotic, atypical	Schizophrenia	Conditional Risk of TdP	oral
Amitriptyline	Elavil® (Discontinued 6/13), Tryptomer®, Tryptizol®, Laroxyl®, Saroten®, Sarotex®, Lentizol®, Endep®	Antidepressant, Tricyclic	Depression	Conditional Risk of TdP	oral
Amphetamine (Amphetamine)	Adderal-XR®, Dexedrine®, Dextroamp®	CNS stimulant	ADHD	Avoid in congenital long QT	oral
Anagrelide	Agrylin®, Xagrid®	Phosphodiesterase 3 inhibitor	Thrombocytopenia	Risk of TdP	oral
Apomorphine	Apokyn®, Ixense®, Spontane®, Uprima®	Dopamine agonist	Parkinson's disease	Possible Risk of TdP	injection
Arformoterol	Brovana®	Bronchodilator	Bronchoconstriction in COPD	Avoid in congenital long QT	inhaled
Aripiprazole	Abilify®, Aripiprex®	Antipsychotic, atypical	Schizophrenia, depression (adjunct)	Possible Risk of TdP	oral, injection
Arsenic trioxide	Trisenox®	Anticancer	Cancer (leukemia)	Risk of TdP	injection
Arteminol+piperazine	Eurartesim®	Antimalarial	Malaria	Possible Risk of TdP	oral

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Asenapine	Saphris®, Sycrest®	Antipsychotic, atypical	Schizophrenia	Possible Risk of TdP	oral
Astemizole (Removed from Market)	Hismanal®	Antihistamine	Allergic rhinitis	Risk of TdP	oral
Atazanavir	Reyataz®	Antiviral	Viral infection (HIV/AIDS)	Possible Risk of TdP	oral
Atomoxetine	Strattera®	Norepinephrine reuptake inhibitor	ADHD	Possible Risk of TdP	oral
Azithromycin	Zithromax®, Zmax®	Antibiotic	Bacterial infection	Risk of TdP	oral, injection
Bedaquiline	Sirturo®	Antibiotic	Tuberculosis, Multi-drug resistant	Possible Risk of TdP	oral
Bepridil (Removed from Market)	Vascor®	Antianginal	Angina Pectoris (heart pain)	Risk of TdP	oral
Bortezomib	Velcade®, Bortecad®	Proteasome inhibitor	Cancer (multiple myeloma, lymphoma)	Possible Risk of TdP	injection
Bosutinib	Bosulif®	Tyrosine kinase inhibitor	Cancer (leukemia)	Possible Risk of TdP	oral
Ceritinib	Zykadia®	Kinase inhibitor	Cancer (Lung)	Possible Risk of TdP	oral
Chloral hydrate	Aquachloral®, Novo-Chlorhydrate®, Somnos®, Noctec®, Somnote®	Sedative	Sedation, insomnia	Conditional Risk of TdP	oral
Chloroquine	Aralen®	Antimalarial	Malaria	Risk of TdP	oral
Chlorpromazine	Thorazine®, Largactil®, Megaphen®	Antipsychotic / Antiemetic	Schizophrenia, nausea, many others	Risk of TdP	oral, injection, suppository
Cilostazol	Pletal®	Phosphodiesterase 3 inhibitor	Intermittent claudication	Risk of TdP	oral
Ciprofloxacin	Cipro®, Cipro-XR®, Neofloxin®	Antibiotic	Bacterial infection	Risk of TdP	oral, injection
Cisapride (Removed from Market)	Propulsid®	GI stimulant	Increase GI motility	Risk of TdP	oral
Citalopram	Celexa®, Cipramil®	Antidepressant, SSRI	Depression	Risk of TdP	oral
Clarithromycin	Biaxin®, Prevpac®	Antibiotic	Bacterial infection	Risk of TdP	oral
Clomipramine	Anafranil®	Antidepressant, Tricyclic	Depression	Possible Risk of TdP	oral

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Clozapine	Clozaril®, Fazaclor®, Versacloz®	Antipsychotic, atypical	Schizophrenia	Possible Risk of TdP	oral
Cocaine	Cocaine	Local anesthetic	Anesthesia (topical)	Risk of TdP	topical
Crizotinib	Xalkori®	Kinase inhibitor	Cancer (Non-small cell lung cancer, metastatic)	Possible Risk of TdP	oral
Cyamemazine (cyamemazine) (Only on Non US Market)	Tercian®	Antipsychotic	Schizophrenia, sedation	Possible Risk of TdP	oral, injection
Dabrafenib	Tafinlar®	Kinase inhibitor	Cancer (melanoma)	Possible Risk of TdP	oral
Dasatinib	Sprycel®	Tyrosine kinase inhibitor	Cancer (leukemia)	Possible Risk of TdP	oral
Degarelix	Firmagon®	Gonadotropin Releasing Hormone Agonist/antagonist	Cancer (prostate)	Possible Risk of TdP	injection
Delamanid (Only on Non US Market)	Delyba®	Antibiotic	Tuberculosis, drug resistant	Possible Risk of TdP	oral
Desipramine	Pertofrane®, Norpramine®	Antidepressant, Tricyclic	Depression	Possible Risk of TdP	oral
Dexmedetomidine	Precedex®, Dexdor®, Dexdomitor®	Sedative	Sedation	Possible Risk of TdP	injection
Dexmethylphenidate	Focalin®, Focalin-XR®	CNS stimulant	ADHD	Avoid in congenital long QT	oral
Dextroamphetamine (Dextroamphetamine)	Dexedrine®, dexamphetamine, dexamfetamine, (S)-(+)-amphetamine, Dextrostat®	CNS stimulant	ADHD, obesity	Avoid in congenital long QT	oral
Diphenhydramine	Benadryl®, Nytol®, Unisom®, Sominex®, Dimedrol®, Daedalon®	Antihistamine	Allergic rhinitis, insomnia	Conditional Risk of TdP	oral, injection
Disopyramide	Norpace®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral
Dobutamine	Dobutrex®	Inotrope	Heart failure, shock (low blood pressure)	Avoid in congenital long QT	injection
Dofetilide	Tikosyn®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral
Dolasetron	Anzemet®	Antiemetic	Nausea, vomiting	Possible Risk of TdP	oral, injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Domperidone (Only on Non US Market)	Motilium®, Motillium®, Motinorm Costi®, Nomit®	Antinausea	Nausea, vomiting	Risk of TdP	oral, injection, suppository
Donepezil	Aricept®	Cholinesterase inhibitor	Dementia (Alzheimer's Disease)	Risk of TdP	oral
Dopamine	Intropine®	Inotrope	Heart failure, shock (low blood pressure)	Avoid in congenital long QT	injection
Doxepin	Sinequan®, Silenor®, Aponal®, Adapine®, Doxal®, Deptran®, Siquan®	Antidepressant, Tricyclic	Depression	Conditional Risk of TdP	oral
Dronedaron	Multaq®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral
Droperidol	Inapsine®, Droleptan®, Dridol®, Xomolix®	Antipsychotic / Antiemetic	Anesthesia (adjunct), nausea	Risk of TdP	injection
Ephedrine	Rynatuss®, Broncholate®	Bronchodilator, decongestant	Allergic reaction, allergic rhinitis, asthma	Avoid in congenital long QT	oral, injection
Epinephrine (adrenaline)	Primatene®, Bronkaid®	Catecholamine, vasoconstrictor	Allergic reaction, anaphylaxis, cardiac arrest	Avoid in congenital long QT	injection, inhaled
Eribulin mesylate	Halaven®	Microtubule inhibitor	Cancer (breast, metastatic)	Possible Risk of TdP	injection
Erythromycin	E.E.S.®, Robimycin®, EMycin®, Erymax®, Ery-Tab®, Eryc Ranbaxy®, Erypar®, Eryped®, Erythrocin Stearate Filmtab®, Erythrocot®, E-Base®, Erythroped®, Ilosone®, MY-E®, Pediamycin®, Zineryt®, Abbotycin®, Abbotycin-ES®, Erycin®, PCE Dispertab®, Stiemycine®, Acnasol®, Tiloryth®	Antibiotic	Bacterial infection, increase GI motility	Risk of TdP	oral, injection
Escitalopram	Cipralext®, Lexapro®, Nexito®, Anxiset-E® (India), Exodus® (Brazil), Esto® (Israel), Seroplext®, Elicea®, Lexamil®, Lexam®, Entact® (Greece), Losita® (Bangladesh), Reposil® (Chile), Animaxen® (Colombia), Esitalo® (Australia), Lexamil® (South Africa)	Antidepressant, SSRI	Depression (major), anxiety disorders	Risk of TdP	oral
Famotidine	Pepcid®, Fluxid®, Quamatel®	H2-receptor antagonist	Gastric hyperacidity, GERD	Possible Risk of TdP	oral, injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Felbamate	Felbatol®	Anticonvulsant	Epilepsy	Possible Risk of TdP	oral
Fenfluramine (Removed from Market)	Pondimin®, Ponderax®, Adafax®	Appetite suppressant	Obesity	Avoid in congenital long QT	oral
Fingolimod	Gilenya®	Sphingosine phosphate receptor modulator	Multiple Sclerosis	Possible Risk of TdP	oral
Flecainide	Tambocor®, Almarytm®, Apocard®, Ecrinal®, Flécaine®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral
Fluconazole	Diflucan®, Trican®	Antifungal	Fungal infection	Risk of TdP	oral, injection
Fluoxetine	Prozac®, Sarafem®, Fontex®	Antidepressant, SSRI	Depression	Conditional Risk of TdP	oral
Formoterol	Foradil®, Foradile®, Oxeze®, Oxis®, Atock®, Atimos®, Atimos Modulite®, Perforomist®, Dulera®, Symbiocort®, Vannair®, Quikhale FB®	Bronchodilator	Asthma	Avoid in congenital long QT	inhaled
Foscarnet	Foscavir®	Antiviral	Viral infection (HIV/AIDS)	Possible Risk of TdP	injection
Furosemide (frusemide)	Lasix®, Fusid®, Frumex®	Diuretic	Hypertension, diuresis	Conditional Risk of TdP	oral, injection
Galantamine	Reminyl®, Nivalin®, Razadyne-ER®,	Cholinesterase inhibitor	Dementia (Alzheimer's Disease)	Conditional Risk of TdP	oral
Gatifloxacin (Removed from Market)	Tequin®	Antibiotic	Bacterial infection	Risk of TdP	oral, injection
Gemifloxacin	Factive®	Antibiotic	Bacterial infection	Possible Risk of TdP	oral
Granisetron	Kytril®, Sancuso®, Granisol®	Antiemetic	Nausea, vomiting	Possible Risk of TdP	oral, injection, topical
Grepafloxacin	Raxar®	Antibiotic	Bacterial infection	Risk of TdP	oral
Halofantrine	Halfan®	Antimalarial	Malaria	Risk of TdP	oral

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Haloperidol	Haldol® (US & UK), Aloperidin®, Bioperidolo®, Brotopon®, Dozic®, Duraperidol® (Germany), Einalon S®, Eukystol®, Halosten®, Keselan®, Linton®, Peluces®, Serenace®, Serenase®, Sigaperidol®	Antipsychotic	Schizophrenia, agitation	Risk of TdP	oral, injection
Hydrochlorothiazide	Apo-Hydro®, Aquazide H®, BP Zide®, Dichlotride®, Hydrodiuril®, HydroSaluric®, Hydrochlorot®, Microzide®, Esidrex®, Oretic®	Diuretic	Hypertension, diuresis	Conditional Risk of TdP	oral
Hydrocodone - ER	Hysingla™ ER, Zohydro ER	Analgesic	Pain, severe	Possible Risk of TdP	oral
Hydroxychloroquine	Plaquenil®, Quineprox®	Antimalarial, Anti-inflammatory	Malaria, SLE, rheumatoid arthritis	Conditional Risk of TdP	oral
Hydroxyzine	Atarax®, Vistaril®, Aterax®, Alamon®, Durrax®, Equipose®, Masmoran®, Orgatrax®, Paxistil® Quiess®, Tran-Q®, Tranquizine®	Antihistamine	Allergic reaction, anxiety disorders	Conditional Risk of TdP	oral, injection
Ibutilide	Corvert®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	injection
Iloperidone	Fanapt®, Fanapta®, Zomaril®	Antipsychotic, atypical	Schizophrenia	Possible Risk of TdP	oral, injection
Imipramine (mepipramine)	Tofranil®	Antidepressant, Tricyclic	Depression	Possible Risk of TdP	oral
Indapamide	Lozol®, Natrilix®, Insig®	Diuretic	Hypertension, diuresis	Conditional Risk of TdP	oral
Isoproterenol	Medihaler-Iso®, Isuprel®	Bronchodilator	Allergic reaction	Avoid in congenital long QT	injection, inhaled
Isradipine	Dynacirc®	Antihypertensive	Hypertension	Possible Risk of TdP	oral
Itraconazole	Sporanox®, Onmel®	Antifungal	Fungal infection	Conditional Risk of TdP	oral, injection
Ivabradine	Procoralan®, Coralan®, Corlensor®, Coraxan®, Ivabid®, Bradia®	Antianginal	Angina Pectoris (heart pain)	Conditional Risk of TdP	oral

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Ketoconazole	Nizoral®, Sebizole®, Ketomed®, Keton®	Antifungal	Fungal infection	Conditional Risk of TdP	oral
Lapatinib	Tykerb®, Tyverb®	Kinase inhibitor	Cancer (breast, metastatic)	Possible Risk of TdP	oral
Lenvatinib	Lenvima®	Anticancer	Cancer (Thyroid)	Possible Risk of TdP	oral
Leuprolide	Lupron®, Eligard®, Viadur®, Carcinil®, Enanton®, Leuplin®, Lucrin®, Procren®, Prostag®, and others	Gonadotropin receptor agonist/antogist	Cancer (prostate)	Possible Risk of TdP	injection
Levalbuterol (levsalbutamol)	Xopenex®, Levolin®, Axazest®	Bronchodilator	Asthma	Avoid in congenital long QT	oral, inhaled
Levofloxacin	Levaquin®, Tavanic®	Antibiotic	Bacterial infection	Risk of TdP	oral, injection
Levomepromazine (Only on Non US Market)	Nosinan®, Nozinan®, Levoprome®	Antipsychotic	Schizophrenia	Risk of TdP	oral, injection
Levomethadyl (Removed from Market)	Orlaam®	Opioid agonist	Narcotic dependence	Risk of TdP	oral
Lisdexamfetamine	Vyvanse®	CNS stimulant	ADHD	Avoid in congenital long QT	oral
Lithium	Eskalith®, Lithobid®	Antimania	Bipolar disorder	Possible Risk of TdP	oral, injection
Mesoridazine (Removed from Market)	Serentil®	Antipsychotic	Schizophrenia	Risk of TdP	oral
Metaproterenol	Metaprel®, Alupent®	Bronchodilator	Asthma	Avoid in congenital long QT	oral, inhaled
Methadone	Dolophine®, Symoron®, Amidone®, Methadose®, Physeptone®, Heptadon®	Opioid agonist	Narcotic dependence, pain	Risk of TdP	oral, injection
Methamphetamine (Metamfetamine)	Desoxyn®, Pervitin®, Anadrex®, Methedrine®, Syndrox®	CNS stimulant	Obesity, ADHD	Avoid in congenital long QT	oral
Methylphenidate	Ritalin®, Concerta®, Focalin®, Daytrana®, Methylin®, Metadate CD®	CNS stimulant	ADHD	Avoid in congenital long QT	oral
Metoclopramide	Reglan®, Afipran®, Maxolon®, Cerucal®, Clopamon®, Clopra®, Maxeran®, Maxolon®, Metozolv®, Plasil®, Pramin®, Primperan®, Perinorm®	Antiemetic	Nausea, vomiting	Conditional Risk of TdP	oral, injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Metronidazole	Flagyl® and many others	Antibiotic	Trichomoniasis, amebiasis, bacterial infection	Conditional Risk of TdP	oral, injection
Midodrine	ProAmatine®, Amatine®, Gutron®	Vasoconstrictor	Hypotension	Avoid in congenital long QT	oral
Mifepristone	Korlym®, Mifeprex®	Progesterone antagonist	Pregnancy termination	Possible Risk of TdP	oral
Mirabegron	Myrbetriq®	Beta3 adrenergic antagonist	Bladder spasm	Possible Risk of TdP	oral
Mirtazapine	Remeron	Antidepressant, Tetracyclic	Depression	Possible Risk of TdP	oral
Moexipril/HCTZ	Uniretic®, Univasc®	Antihypertensive	Hypertension	Possible Risk of TdP	oral
Moxifloxacin	Avelox®, Avalox®, Avelon®	Antibiotic	Bacterial infection	Risk of TdP	oral, injection
Nelfinavir	Viracept®	Antiviral	Viral infection (HIV/AIDS)	Conditional Risk of TdP	oral
Nicardipine	Cardene®	Antihypertensive	Hypertension	Possible Risk of TdP	oral, injection
Nilotinib	Tasigna®	Kinase inhibitor	Cancer (leukemia)	Possible Risk of TdP	oral
Norepinephrine	Levophed®	Vasconstrictor, Inotrope	Heart failure, shock (low blood pressure)	Avoid in congenital long QT	oral, injection
Norfloxacin	Noroxin®, Ambigram®	Antibiotic	Bacterial infection	Possible Risk of TdP	oral
Nortriptyline	Pamelor®, Sensoval®, Aventyl®, Norpress®, Allegron®, Noritren®, Nortrilen®	Antidepressant, Tricyclic	Depression	Possible Risk of TdP	oral
Ofloxacin	Floxin®	Antibiotic	Bacterial infection	Possible Risk of TdP	oral, injection
Olanzapine	Zyprexa®, Zydis®, Relprevv®	Antipsychotic, atypical	Schizophrenia, bipolar disorder	Possible Risk of TdP	oral, injection
Ondansetron	Zofran®, Anset®, Ondemet®, Zuplenz®, Emetron®, Ondavell®, Emeset®, Ondisolv®, Setronax®	Antiemetic	Nausea, vomiting	Risk of TdP	oral, injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Osimertinib	Tagrisso®	Tyrosine kinase inhibitor	Cancer (EGFR pos. NSC Lung cancer)	Possible Risk of TdP	oral
Oxaliplatin	Eloxatin®	Antineoplastic Agent	Cancer	Risk of TdP	injection
Oxytocin	Pitocin®, Syntocinon®	Oxytocic	Labor stimulation	Possible Risk of TdP	injection
Paliperidone	Invega®, Xepilon®	Antipsychotic, atypical	Schizophrenia	Possible Risk of TdP	oral, injection
Panobinostat	Farydak®	Histone deacetylase inhibitor	Multiple myeloma (Part of a 3 drug regimen)	Possible Risk of TdP	oral
Pantoprazole	Protonix® and others	Proton Pump Inhibitor	Gastric hyperacidity, GERD	Conditional Risk of TdP	oral, injection
Papaverine HCl	none	Vasodilator, Coronary	Diagnostic adjunct	Risk of TdP	injection
Paroxetine	Paxil®, Aropax®, Pexeva®, Seroxat®, Sereupin®	Antidepressant, SSRI	Depression	Conditional Risk of TdP	oral
Pasireotide	Signifor®	Somatostatin analog	Cushings Disease	Possible Risk of TdP	injection, topical
Pazopanib	Votrient®	Tyrosine kinase inhibitor	Cancer (renal cell, sarcoma)	Possible Risk of TdP	oral
Pentamidine	Pentam®	Antifungal	Fungal infection (Pneumocystis pneumonia)	Risk of TdP	injection
Perflutren lipid microspheres	Definity®	Imaging contrast agent	Echocardiography	Possible Risk of TdP	injection
Phentermine	Adipex P®, Adiphene® (India), Anoxine-AM®, Ionamin®, Duromine®, Metermine®, Miraprontv, Obephen®, Obermine®, Obestin-30®, Phentremine®, Phentrol®, Phenterex®, Phentromin®, Pro-Fast SA®, Redusa®, Panbesy®, Obenix®, Oby-Trim®, Teramine®, Zantryl®, Sinpet®, Supremin®, Suprenza®, Umine®, Weltmine®	Appetite suppressant	Obesity	Avoid in congenital long QT	oral

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Phenylephrine	Neosynephrine®	Vasoconstrictor	Shock (low blood pressure), allergic rhinitis, asthma	Avoid in congenital long QT	oral, injection
Phenylpropanolamine	Acutrim®, Dexatrim®	Appetite suppressant	Obesity	Avoid in congenital long QT	oral
Pimozide	Orap®	Antipsychotic	Tourette's Disorder	Risk of TdP	oral
Pipamperone (Only on Non US Market)	Dipiperon (E.U), Propitan (Japan)	Antipsychotic	Schizophrenia	Possible Risk of TdP	oral
Posaconazole	Noxafil®, Posamol®	Antifungal	Fungal infection	Conditional Risk of TdP	oral
Probucol (Removed from Market)	Lorelco®	Antilipemic	Hypercholesterolemia	Risk of TdP	oral
Procainamide	Pronestyl®, Procan®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	injection
Promethazine	Phenergan®	Antipsychotic / Antiemetic	Nausea, vomiting	Possible Risk of TdP	oral, injection, suppository
Propofol	Diprivan®, Propoven®	Anesthetic, general	Anesthesia	Risk of TdP	injection
Pseudoephedrine	PediaCare®, Sudafed®	Decongestant	Allergic reaction, allergic rhinitis, asthma	Avoid in congenital long QT	oral
Quetiapine	Seroquel®	Antipsychotic, atypical	Schizophrenia	Conditional Risk of TdP	oral
Quinidine	Quinaglute®, Duraquin®, Quinact®, Quinidex®, Cin-Quin®, Quinora®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral, injection
Quinine sulfate	Qualaquin®	Antimalarial	Malaria, leg cramps	Conditional Risk of TdP	oral, injection
Ranolazine	Ranexa®, Ranozex®	Antianginal	Angina Pectoris (heart pain)	Possible Risk of TdP	oral
Rilpivirine	Edurant®, Complera®, Eviplera®	Antiviral	Viral infection (HIV/AIDS)	Possible Risk of TdP	oral
Risperidone	Risperdal®	Antipsychotic, atypical	Schizophrenia	Possible Risk of TdP	oral, injection
Ritodrine (Removed from Market)	Yutopar®	Muscle relaxant	Premature labor	Avoid in congenital long QT	injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Ritonavir	Norvir®	Antiviral	Viral infection (HIV/AIDS)	Conditional Risk of TdP	oral
Roxithromycin (Only on Non US Market)	Rulide®, Xthrocin®, Roxl-150®, Roxo®, Surlid®, Rulide®, Biaxsig®, Roxar®, Roximycinv®, Roxomycin®, Rulid®, Tirabycin®, Coroxin®	Antibiotic	Bacterial infection	Possible Risk of TdP	oral
Salmeterol	Serevent®, Advair®	Bronchodilator	Asthma	Avoid in congenital long QT	inhaled
Saquinavir	Invirase®(combo)	Antiviral	Viral infection (HIV/AIDS)	Possible Risk of TdP	oral
Sertindole (Only on Non US Market)	Serdolect®, Serlect®	Antipsychotic, atypical	Schizophrenia, anxiety	Possible Risk of TdP	oral
Sertraline	Zoloft®, Lustral®, Daxid®, Altruline®, Besitran®, Deprax®, Elval®, Emergen®, Gladem®, Implicane®, Sedoran®, Sealdin®, SerivoLowfin®, Stimuloton®, Tresleen®, Sertralin Bluefish®	Antidepressant, SSRI	Depression	Conditional Risk of TdP	oral
Sevoflurane	Ulane®, Sojourn®	Anesthetic, general	Anesthesia	Risk of TdP	inhaled
Sibutramine (Removed from Market)	Meridia®	Appetite suppressant	Obesity	Avoid in congenital long QT	oral
Solifenacin	VESIcare®	Muscle relaxant	Bladder spasm	Conditional Risk of TdP	oral
Sorafenib	Nexavar®	Tyrosine kinase inhibitor	Cancer (liver, renal cell, metastatic thyroid)	Possible Risk of TdP	oral
Sotalol	Betapace®, Sotalex®, Sotacor®	Antiarrhythmic	Abnormal heart rhythm	Risk of TdP	oral
Sparfloxacin (Removed from Market)	Zagam®	Antibiotic	Bacterial infection	Risk of TdP	oral
Sulpiride (Only on Non US Market)	Dogmatil®, Dolmatil®, Eglonyl®, Espiride®, Modal®, Sulpor®	Antipsychotic, atypical	Schizophrenia	Risk of TdP	oral
Sunitinib	Sutent®	Kinase inhibitor	Cancer (GIST, renal cell, pNET)	Possible Risk of TdP	oral
Tacrolimus	Prograf®, Prograf®, Advagraf®, Protopic®	Immunosuppressant	Immune suppression	Possible Risk of TdP	oral, injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Tamoxifen	Nolvadex®(discontinued 6/13), Istubal®, Valodex®	Anticancer	Cancer (breast)	Possible Risk of TdP	oral
Telaprevir	Incivek®, Incivo®	Antiviral	Viral infection (hepatitis C)	Conditional Risk of TdP	oral
Telavancin	Vibativ®	Antibiotic	Bacterial infection	Possible Risk of TdP	injection
Telithromycin	Ketek®	Antibiotic	Bacterial infection	Possible Risk of TdP	oral
Terbutaline	Brethine®, Bricanyl®, Brethaire®, Terbutin®	Bronchodilator	Asthma, premature labor	Avoid in congenital long QT	oral, injection, inhaled
Terfenadine (Removed from Market)	Seldane®	Antihistamine	Allergic rhinitis	Risk of TdP	oral
Tetrabenazine	Nitoman®, Xenazine®	Monoamine Transporter Inhibitor	Chorea (Huntington's disease)	Possible Risk of TdP	oral
Thioridazine	Mellaril®, Novoridazine®, Thioril®	Antipsychotic	Schizophrenia	Risk of TdP	oral
Tizanidine	Zanaflex®, Sirdalud®	Muscle relaxant	Muscle spasticity	Possible Risk of TdP	oral
Tolterodine	Detrol®, Detrusitol®	Muscle relaxant	Bladder spasm	Possible Risk of TdP	oral
Toremifene	Fareston®	Estrogen agonist/antagonist	Cancer (breast, metastatic)	Possible Risk of TdP	oral
Torsemide	Demadex®, Diuver®, Examide®	Diuretic	Hypertension, diuresis	Conditional Risk of TdP	oral, injection
Trazodone	Desyrel® (discontinued 6/13), Oleptro®, Beneficat®, Deprax®, Desirel®, Molipaxin®, Thombran®, Trazorel®, Trialodine®, Trittico®, Mesyrel®	Antidepressant, SARI	Depression, insomnia	Conditional Risk of TdP	oral
Trimethoprim-Sulfamethoxazole	Septra®, Bactrim®, Sulfatrim®, Biseptol®, Co-trimoxazole®, Cotrim®, Septrin®, Trisul®	Antibiotic	Bacterial infection	Avoid in congenital long QT	oral
Trimipramine	Surmontil®, Rhotrimine®, Stangyl®	Antidepressant, Tricyclic	Depression	Possible Risk of TdP	oral, injection
Tropisetron (Only on Non US Market)	Navoban®, Setrovel®	Antiemetic	Nausea, vomiting	Possible Risk of TdP	oral, injection

Generic Name	Brand Names (Partial List)	Drug Class	Therapeutic Use	Risk Category	Route
Vandetanib	Caprelsa®	Anticancer	Cancer (thyroid)	Risk of TdP	oral
Vardenafil	Levitra®	Phosphodiesterase 5 inhibitor	Erectile dysfunction	Possible Risk of TdP	oral
Vemurafenib	Zelboraf®	Kinase inhibitor	Cancer (melanoma)	Possible Risk of TdP	oral
Venlafaxine	Effexor®, Eflexor®	Antidepressant, SNRI	Depression	Possible Risk of TdP	oral
Voriconazole	VFend®	Antifungal	Fungal infection	Conditional Risk of TdP	oral, injection
Vorinostat	Zolinza®	Histone deacetylase inhibitor	Cancer (lymphoma)	Possible Risk of TdP	oral
Ziprasidone	Geodon®, Zeldox®	Antipsychotic, atypical	Schizophrenia	Conditional Risk of TdP	oral, injection